


PARKWAY AREA IRRIGATED WITH THE TYPICAL LOW VOLUME CONTROL VALVE CONNECT LATERALS TOGETHER ON ONE CONTROL VALVE WHERE POSSIBLE.

CLEAR BIO-SWALE BOTTOM WITHOUT IRRIGATION FOR EASY DE-SILTING OPERATION. CLOSE PLACEMENT OF LOW-VOLUME IRRIGATION EMITTERS AS SHOWN IN PLAN VIEW DRAWINGS WILL PROVIDE SATURATION AS NEEDED TO PROVIDE SUFFICIENT MOISTURE LEVELS FOR GRASSES DURING INITIAL ESTABLISHMENT AND DRY PERIODS.



ZONES 1, 2 & 4

REFER TO PLAN VIEW DRAWING FOR EXACT EMITTER LAYOUT
24" - 36" TYPICAL EMITTER SPACING PER PLANTING LAYOUT



ZONE 3

REFER TO PLAN VIEW DRAWING FOR EXACT EMITTER LAYOUT
12" - 24" TYPICAL EMITTER SPACING PER PLANTING LAYOUT

NOTES:

1. ALL CHANNEL BOTTOMS SHALL BE IRRIGATED WITH A SEPERATE CONTROL VALVE FOR MOISTURE CONTROL.
2. IRRIGATION FOR EACH SIDE OF CHANNEL BOTTOM OUTSIDE OF ZONE 3 SHOULD BE CONNECTED TOGETHER.
4. ALL BIO-SWALES SHALL BE IRRIGATED WITH POINT-TO-POINT LOW VOLUME IRRIGATION AS INDICATED. OVERHEAD CONVENTIONAL SPRAY IRRIGATION WILL BE ALLOWED UNLESS APPROVED IN WRITING.
5. ALL IRRIGATION MUST CONFORM TO VALLEY-WIDE LOW-VOLUME IRRIGATION DETAILS.
6. ALL BIO-SWALE GRADES AND DRAINAGE MUST BE APPROVED IN WRITING BY VALLEY-WIDE RECREATION AND PARK DISTRICT PRIOR TO ANY IRRIGATION OR PLANTING.
7. DRAWINGS INDICATE ABOVE GRADE PIPING, ALTHOUGH BELOW GRADE PIPING IS ALSO ACCEPTABLE.

LD Consulting 2012 (Any deviation or reproduction of this design must be approved in writing by Valley-Wide Recreation & Park District)



VALLEY-WIDE RECREATION & PARK DISTRICT

PARKWAY IRRIGATION SECTION VIEW

WQ-05
REV. 2012