



FOOTING SIZE FOR CHAINLINK FENCE HEIGHTS

FENCE HEIGHT	FOOTING DEPTH	FOOTING DIAMETER	POST DIAMETER
6'0"-8'0"	18"-24"	8"	2-3/8"
10'0"-12'0"	36"	12"	3-5/8"
16'0"-18'0"	60"	18"	6"

NOTES:

1. TOP OF FOOTING MUST BE AT ELEVATION TO ACCOMMODATE 6" DEEP FORM BOARDS AND CONCRETE MOWCURB TO BE POURED AFTER FOOTING AND POST INSTALLATION
EXTEND FENCE POST FOOTING 4" ABOVE FINISH GRADE WHEN MOWCURB IS NOT USED AND CHAMFER EDGES 3" AT 45 DEGREE ANGLE FOR DRAINAGE
2. CONTRACTOR SHALL BE RESPONSIBLE FOR BUILDING PERMIT PRIOR TO CONSTRUCTION
3. FOOTINGS MUST BE INSPECTED BY THE DISTRICT PRIOR TO POURING
4. ALL FOOTINGS ARE SUBJECT TO LOCAL CITY AND/OR COUNTY PERMITS AND INSPECTIONS IN ADDITION TO INSPECTION BY THE DISTRICT PER THE DISTRICT'S MINIMUM REQUIREMENTS

LD Consulting 2012 (Any deviation or reproduction of this design must be approved in writing by Valley-Wide Recreation & Park District)



VALLEY-WIDE RECREATION & PARK DISTRICT

CHAIN LINK POST IN MOWCURB

LC-06

REV. 2012