


ROOTBALL DEPTH



- TREE PER PLAN
- TRIM TOP OF STAKES BELOW BRANCHES TO PREVENT DAMAGE
- CINCH TIE TREE TO STAKE 4 PLACES MIN. PER SPECS.
- 2" DIA. X 10' LONG LODGE POLE STAKES W/GALV NAILS (INSTALL OUTSIDE ROOTBALL)
- 2" THICK BARK MULCH INSIDE BASIN TAPER TO 1/2" AT CROWN
- 12"
- 24"
- 4"
- ROOTBALL (SET CROWN 1" ABOVE FINISH GRADE TYP.)
- 21 GRAM AGRIFORM PLANTING TABLETS: 1-1 GAL, 3-5 GAL 5-15 GAL, 8-24" BOX
- COMPACTED WATERING BASIN REMOVE PRIOR TO HYDROSEED OR SOD AND RAKE SMOOTH
- FINISH GRADE
- COMPACTED BACKFILL MIX (PER PLANTING SPECS & SOIL REPORT) 2X ROOTBALL WIDTH 1.5X ROOTBALL DEPTH
- UNDISTURBED NATIVE SOIL
- 3" DIA. X EQUAL LENGTH TO ROOTBALL DEPTH PERF. PVC PIPE WITH FILTER SOCK SECURE FLAT DRAIN CAP TO TOP INSTALL PIPE AT EDGE OF ROOTBALL 2 PIPES REQ'D FOR TREES 36" AND LARGER

NOTES:

1. PROVIDE 3 STAKES FOR MULTI-TRUNK TREES TYP.
2. PROVIDE 3" DIA. TREE STAKES WHEN REQUIRED PER SPECS.
3. V.I.T. TWIST BRACES SHALL BE REQUIRED FOR PROJECTS WITH WINDY CONDITIONS

LD Consulting 2012 (Any deviation or reproduction of this design must be approved in writing by Valley-Wide Recreation & Park District)



VALLEY-WIDE RECREATION & PARK DISTRICT

TREE PLANTING

PL-02

REV. 2012